PennDraw

Learning Objectives

- Write a program that draws a specified image
- Judge how lines of code will affect the program output

What is **PennDraw?**

PennDraw

- The name of a group of related drawing tools available for you to use.
 - Adapted from a library called "StdDraw" if you see that anywhere
- Any time we need to draw to the computer's screen in CIS 1100, we'll use PennDraw.
- You can access a full listing of PennDraw's features on the page for PennDraw on the course website

PennDraw Model

A programmable Microsoft Paint

- Uses a set canvas
- Has an imaginary "pen"
 - The pen has a color setting and a weight setting.
- Draw shapes
 - Rectangles, ellipses, arbitrary polygons
- Draw text



}

•••

public class OrderDemo {
 public static void main(String[] args) {
 PennDraw.setCanvasSize(600, 600);
 }
}

PennDraw.clear(15, 15, 15);

PennDraw.setPenColor(PennDraw.BLUE);
PennDraw.filledCircle(0.5, 0.5, 0.15);

PennDraw.setPenColor(PennDraw.WHITE);
PennDraw.filledCircle(0.5, 0.5, 0.11);

PennDraw.setPenColor(PennDraw.RED);
PennDraw.filledCircle(0.5, 0.5, 0.08);



The Canvas

The *canvas* refers to the window of space on which PennDraw can do its drawing.

It has a width and a height, both defined in pixels.

- We usually express the size of a canvas like "*width* by *height*"
- Width is the *x* dimension
- Height is the *y* dimension



The Coordinate System

Canvas positions are accessed using coordinates.

By default, coordinates range from 0 to 1 in both the x dimension and the y dimension.

- The coordinate (0,0) refers to the bottom left position of the canvas.
- Coordinate (1,1) is found at the top right of the canvas.



The Pen

PennDraw works in a model where the programmer (you!) gives a series of instructions, one by one, to a computer

Some instructions are responsible for changing how shapes will be drawn

- "changing the settings of the pen"
- Settings include radius and color

The instructions change the pen settings until the next time the settings are explicitly modified.

Radius

Whenever we ask PennDraw to draw e.g. a point or line on the screen, these marks will appear with a certain thickness determined by the current setting for the radius of the pen.

Pictured: a point and a line drawn with a default radius setting of 0.002



Radius

On right is the same drawing with the pen radius set to 0.008 (four times the default setting).

To change the pen radius:





Color

Two ways to set the pen color.

First: referring to some of them

by name

PennDraw.setPenColor(PennDraw.BLUE);
PennDraw.setPenColor(PennDraw.MAGENTA);

Color

Two ways to set the pen color

Second: specifying the red, green, and blue values of the color as integers from 0-255 each

Allows for fine-grained color control!

"pure red"

PennDraw.setPenColor(255, 0, 0);

"twilight lavender"

PennDraw.setPenColor(138, 73, 107);

Running (and Stopping) PennDraw Programs

- For HelloWorld.java, we had a simple loop: *edit, compile, run, repeat*
 - The program was finished running once it ran out of instructions to execute
- For programs that use PennDraw, the program will continue to run so that you can see the drawing you made!
- Before re-compiling, you need to stop the program execution one of two ways:
 - i. Close the drawing window
 - ii. Press Control-C on your keyboard in the terminal

Demo: Running (and Stopping) a Program

Let's type, compile, and execute the following program:

```
public class HelloSquare {
    public static void main(String[] args) {
        PennDraw.square(0.5, 0.5, 0.25);
    }
}
```

You should see a black square in the center of the screen!

Demo: Running (and Stopping) a Program

Let's make a change to the program:

```
public class HelloSquare {
    public static void main(String[] args) {
        PennDraw.setPenColor(PennDraw.GREEN);
        PennDraw.square(0.5, 0.5, 0.25);
    }
}
```

Then, we need to **stop the execution** of the program, recompile, and run the program again.

You should see a **green** square in the center of the screen!

MyHouse.java

Inventory

- PennDraw.setCanvasSize(width, height)
 - Sets the canvas to a certain width & height in pixels
- PennDraw.clear(color)
 - Clears the screen and colors the background in the provided color.
 - color can be provided by name or by passing in three integers
 - e.g. PennDraw.BLUE or (0, 0, 255)
- PennDraw.setPenColor(color)
 - Sets the color that future shapes will be drawn in
 - Ditto bullet two from PennDraw.clear()

public class MyHouse { public static void main(String[] args) {

// Make our window 500 pixels wide and 500 pixels tall.
PennDraw.setCanvasSize(500, 500);

}

}

	Standard Draw	
File		





PennDraw.filledRectangle(...)

This function takes four arguments:

- xCenter: the x coordinate of the center of the rectangle
- yCenter: the y coordinate of the center of the rectangle
- halfWidth: the horizontal distance between the side of the rectangle and its center
- halfHeight: the vertical distance between the top of the rectangle and its center

PENNDRAW







PennDraw.filledPolygon(...)

This function takes n pairs of (x, y) coordinates to draw an n-gon with vertices at the specified coordinates.

- For a triangle (3-gon), provide three coordinate pairs (six numbers)
- For a hexagon (6-gon), provide six coordinate pairs (twelve numbers)

Drawing a Roof

PennDraw.filledPolygon(0.255, 0.70, 0.745, 0.70, 0.49, 0.90);

draws a polygon with vertices at coordinates:

- (0.255, 0.70),
- (0.745, 0.70),
- and (0.49, 0.90)

```
public class MyHouse {
    public static void main(String[] args) {
        // Make our window 500 pixels wide and 500 pixels tall.
        PennDraw.setCanvasSize(500, 500);
        // Draw a blue background for our sky
        PennDraw.clear(PennDraw.BLUE);
        // Draw a green rectangle as the ground
        PennDraw.setPenColor(0, 170, 0);
        PennDraw.filledRectangle(0.5, 0.25, 0.5, 0.25);
        // Draw the house, which is a triangle roof and a rectangle wall.
        PennDraw.setPenColor(200, 170, 0);
        PennDraw.filledPolygon(0.255, 0.70, 0.745, 0.70, 0.49, 0.90);
    }
}
```

	Standard Draw	
File		

```
public class MyHouse {
    public static void main(String[] args) {
        // Make our window 500 pixels wide and 500 pixels tall.
        PennDraw.setCanvasSize(500, 500);
        // Draw a blue background for our sky
        PennDraw.clear(PennDraw.BLUE);
        // Draw a green rectangle as the ground
        PennDraw.setPenColor(0, 170, 0);
        PennDraw.filledRectangle(0.5, 0.25, 0.5, 0.25);
        // Draw the house, which is a triangle roof and a rectangle wall.
        PennDraw.setPenColor(200, 170, 0);
        PennDraw.filledPolygon(0.255, 0.70, 0.745, 0.70, 0.49, 0.90);
        PennDraw.filledRectangle(0.5, 0.52, 0.24, 0.18);
    }
}
```



```
public class MyHouse {
    public static void main(String[] args) {
        // Make our window 500 pixels wide and 500 pixels tall.
        PennDraw.setCanvasSize(500, 500);
        // Draw a blue background for our sky
        PennDraw.clear(PennDraw.BLUE);
        // Draw a green rectangle as the ground
        PennDraw.setPenColor(0, 170, 0);
        PennDraw.filledRectangle(0.5, 0.25, 0.5, 0.25);
        // Draw the house, which is a triangle roof and a rectangle wall.
        PennDraw.setPenColor(200, 170, 0);
        PennDraw.filledPolygon(0.255, 0.70, 0.745, 0.70, 0.49, 0.90);
        PennDraw.filledRectangle(0.5, 0.52, 0.24, 0.18);
        // Set the pen color to black and draw outlines around the shapes
        // that make up the house.
        PennDraw.setPenRadius(0.005);
        PennDraw.setPenColor(PennDraw.BLACK);
        PennDraw.polygon(0.255, 0.70, 0.745, 0.70, 0.49, 0.90);
        PennDraw.rectangle(0.5, 0.52, 0.24, 0.18);
    }
```

}

PENNDRAW



CIS 1100 Fall 2024 @ University of Pennsylvania