File System Intro

Computer Operating Systems, Spring 2024

Instructors: Joel Ramirez Travis McGaha

Head TAs: Ash Fujiyama Emily Shen Maya Huizar


TAs:

Ahmed Abdellah	Bo Sun	Joy Liu	Susan Zhang	Zihao Zhou
Akash Kaukuntla	Connor Cummings	Khush Gupta	Vedansh Goenka	
Alexander Cho	Eric Zou	Kyrie Dowling	Vivi Li	
Alicia Sun	Haoyun Qin	Rafael Sakamoto	Yousef AlRabiah	
August Fu	Jonathan Hong	Sarah Zhang	Yu Cao	



pollev.com/cis5480

How is milestone 1 looking?



Administrivia

- Penn-shell is out (this shouldn't be news)!
 - Milestone is tomorrow @ 11:59pm)
 - Full thing is due (Fri, Feb 28) (2 more weeks!)
 - Done in partners
 - Everything was covered already that you would need...
- One-On-Ones
 - Offered with TAs for any clarification regarding assignments, course material, general feedback, life, chatting, falling behind in the class, falling behind on life, etc.
 - Not a substitute for Office Hours
 - We are not *allowing* TAs to look over people's code
 - We don't want this to be a race for booking slots with TAs.
 - In PennOS you will have a dedicated TA.

Administrivia

- Recitation
 - On Thursdays in Towne 217 from 7PM 8PM
 - No longer offering a live zoom
 - will release all recordings week prior to exams as study material
- Partners for Shell...
 - If you are late for Penn OS, we will not switch you around.
 - People were switching around this weekend; not very cool....
 - Please do not do this for Penn OS. We're begging.

Lecture Outline

- Intro to File System
 - User Perspective
 - Blocks
- Disk Allocation
 - Contiguous
 - Linked List

Files


- You have interacted with files before.
- Files have names to identify them e.g. "Hello.txt"
- Files can be opened, read, written to, saved, deleted, etc..
- ✤ A file can store image data, programs, text, etc.
- Files can also be called non-volatile storage
 - This data persists when the computer is powered off, as long as the data is actually written to the file
 - Data that is in memory is volatile.
 - it is lost if the power goes out.
 - If you shoot your computer
 - Your sibling trips over the power chord (that's how old I am).

Directories

- A directory is a special type of file that contains a list of other files (and directories) that are "inside" of it
- A directory is also named
- For most cases, we can use the word Directory and Folder interchangeably

Hierarchical File System

- Files on a computer are structured as a Hierarchical File System
- Directories can contain other Directories
 - Subdirectory is used to describe a directory contained in another
 - Parent and Child are often used to describe the relationship between a subdirectory and the directory it is in.
 - With one directory being the "overall root" or "overall parent"



File System: User Level STD API

C stdio API: core functionalities (with File Structs)

FILE* fopen(char *pathname, char *mode);

size_t fread(void *ptr, size_t size,size_t nmemb, FILE* stream);

size_t fwrite(void *ptr, size_t size,size_t nmemb, FILE* stream);

int fclose(FILE *stream);

These core functionality of these functions should be self-explanatory. If you need to use these, use man pages to lookup the exact details

File System: User Level STD API

C stdio API: core functionalities (with File Structs)

FILE* fopen(char *pathname, char *mode);

size_t fread(void *ptr, size_t size,size_t nmemb, FILE* stream);


size_t fwrite(void *ptr, size_t size,size_t nmemb, FILE* stream);

int fclose(FILE *stream);


In addition to the above, we also have another common feature: moving to an arbitrary position in the file

int fseek(FILE *stream, long offset, int whence);


- ✤ As a user, we have the idea of a file as being a "stream" or sequence of bytes.
 - a continuous sequence of data made available over time.
 - There are many kinds of streams, for now we are talking about files
- From our perspective, a <u>file</u> stream looks like this:
 - A sequence of characters that come one after the other



- ✤ As a user, we have the idea of a file as being a "stream" of bytes.
 - a continuous sequence of data made available over time.
 - There are many kinds of streams, for now we are talking about files
- From our perspective, a <u>file</u> stream looks like this:
 - A sequence of characters that come one after the other
 - When we open a file, we start at the beginning of the file stream



- ✤ As a user, we have the idea of a file as being a "stream" of bytes.
 - a continuous sequence of data made available over time.
 - There are many kinds of streams, for now we are talking about files
- From our perspective, a <u>file</u> stream looks like this:
 - A sequence of characters that come one after the other
 - When we open a file, we start at the beginning of the file stream
 - As we read chars, we "move forward" to the next chars in the file
 - Now we know we are changing the cursor for that open file...



- ✤ As a user, we have the idea of a file as being a "stream" of bytes.
 - a continuous sequence of data made available over time.
 - There are many kinds of streams, for now we are talking about files
- From our perspective, a <u>file</u> stream looks like this:
 - A sequence of characters that come one after the other
 - When we open a file, we start at the beginning of the file stream
 - As we read chars, we "move forward" to the next chars in the file
- This is not just a C thing; this is probably what you have done in Java and other languages.
 - It is a hardware thing

File System

- File System: A system composed of algorithms and data structures for how data is stored, organized & retrieved from a storage medium.
 - E.g. how the operating system organizes the physical medium (Hard Disk, SSD, Tape, Floppy Disk, etc) to make the interface/abstraction we saw in the previous slides

The File System Foundations

- ✤ So, we have this complicated system of:
 - various files of different lengths
 - Files that can be written, read, extended, shrunk, deleted, copied...
 - Directories that contain files and other directories which can contain other directories etc.
 - Directories can be of various sizes
 - Files can have different permissions (executable, read, write)
 - Files of the same name can exist in different directories
 - We want to try and support all of this, and have it run relatively fast
- What does the operating system get to implement this?

Not quite just an array of ints..

From the OS perspective, it has to create and manage a file system with this

L07: File System Intro

int the_filesystem[REALY_REALLY_BIG];

- This is not fully true
 - The "unit" size of elements in the array is not an int (typically 4 bytes) but instead a **block**
 - 512 or 4096 bytes, depending on the implementation and hardware
 - The OS does not get to directly index into the array, it invokes that can read or write specific blocks.

Storage Mediums Interface: Blocks

- A block is a fixed number of contiguous bytes
 - Usually, 4096 bytes or 512 bytes

* Storage Mediums can be thought of as a giant collection of blocks.

- The file system has to organize these blocks (and the bytes inside of them) to make the abstractions we talked about. Otherwise, there would just be data with no clear separation of files
- A block is the unit of work for a file system
 - Read and write operations to storage mediums (e.g. disk) are done in multiples of their respective block size
 - So even if you want to change (1 byte) within a file, you must write an entire block of the file
 - The smallest space a file takes up on disk is 1 block


Operating System Perspective: Blocks

The stream model is very convenient for user level programs, but hardware works in terms of blocks.


- The file system breaks files up into <u>blocks</u> so that it can be stored into the storage hardware.
 - When the operating system interfaces with hardware, it works in terms of blocks.
 - When the OS operates on a file, it reads/writes an entire block at a time
 - The user still sees the file as a stream abstraction, can work with bytes instead of blocks

Operating System Perspective: Blocks

User perspective: A sequence of bytes



More details: these bytes are broken up into a series of logical blocks



These blocks are logically next to each other, but may not be contiguous in physical memory.

Building up to a full filesystem

- Lets start with a simple abstraction:
 - We have disk that contains many blocks
 - We want to store a few files and just one block per file (so each file is at max ~4096 bytes)

Disk:

free	free	File D	free	File B	free	free	File A	free	free	File C	File E
------	------	--------	------	--------	------	------	--------	------	------	--------	--------

- How do we know where a certain file is on disk?
 - One Directory, The Root Directory "/"
- How do we know which blocks are free?
 - Bit map of what is free and what is not free

Solution: Directories

- We can solve one of these problems with the introduction of directories.
- * A directory is essentially like a file
 - We will store its data on disk inside of blocks (like a file)
- * The directory content format is known to the file system.
 - The file system might maintain a list of directory entries
 - Each directory entry contains the name of the file, the first block number of the file, and some other information

Solution: Directories

- The directory content format is known to the file system.
 - Contains a list of directory entries
 - Each directory entry contains the name of the file, the first block number of the file, and some other information

free	free	File D	free	File B	free	free	File A	free	free	File C	File E
Block 0	Block 1	Block 2	Block 3	Block 4	Block 5	Block 6	Block 7	Block 8	Block 9	Block 10	Block 11

Directory:

File Name	Block Number	
А	7	Where does this directory go?
В	4	Where do we store its information?
С	10	How do we know where the directory is in disk?
D	2	Remember: a directory stores its
E	11	data in blocks in disk too


 Solution: we have an overall root directory that we always put in the same place (Block 1 or Block 0)

Di	sk:											
	free	Root Dir	File D	free	File B	free	free	File A	free	free	File C	File E
_	BO	B1	B2	B3	B4	B5	B6	B7	B8	B9	B10	B11
۵	Directo	ory:										
	File	Name	Bloc	ck Nur	nber							
		А		7								
		В		4		H	ow do	we kno	ow wh	ich bl	ocks ar	e free?
		С		10								
		D		2								
		Е		11								

CIS 4480/5480, Spring 2025

Bitmap

- We can have a bitmap (similar to a bitset) stored in disk to keep track of which blocks are free and which ones are not.
- If we have N blocks, then we need N bits (1 bit per block) to keep track of this information. If a bit is 1 the corresponding block is free, 0 means it is in use.
- It is also useful to stick this in the front of the disk, at a fixed location



Expanding on our model

What we have works, what happens if we want files that are more than 1 block big?

D	isk:											
	Bit- map	Root Dir	File D	free	File B	free	free	File A	free	free	File C	File E
	BO	B1	B2	B3	B4	B5	B6	B7	B8	B9	B10	B11

- Let's say File B wants to be two blocks long instead of 1 block long
- What is the simplest thing we can do?

Contiguous Allocation

D

 Solution: let B expand into the block next to it on disk. It is a free block and we can take it

Disk:	Bit- map	Root Dir	File D	free	File B	Also File B	free	File A	free	free	File C	File E
	BO	B1	B2	B3	B4	B5	B6	B7	B8	B9	B10	B11

 Only other change we need to make is probably have each directory entry also store the number of blocks in the file

irectory:	File Name	Block #	length
		•••	
	В	4	2
		•••	

 This way of allocating blocks to a file is called Contagious allocation. Each file occupies a contiguous region of blocks

Contiguous Allocation: Random Access

- What if wanted to read the second block of File B?
 - How many blocks would we need to read from disk?
 - Assume we have not read anything in to the OS yet

Disk:

Bit- map		File D	free	File B	Also File B	free	File A	free	free	File C	File E
BO	B1	B2	B3	B4	B5	B6	B7	B8	B9	B10	B11

Directory:	File Name	Block #	length
	В	4	2



pollev.com/cis5480

- What if wanted to read the second block of File B?
 - How many blocks would we need to read from disk?

Disk:


Bit- map	Root Dir	File D	free	File B	Also File B		File A	free	free	File C	File E
BO	B1	B2	B3	B4	B5	B6	B7	B8	B9	B10	B11

Directory:	File Name	Block #	length
	В	4	2

Doll Everywhere

pollev.com/cis5480

- What if wanted to read the second block of File B?
 - How many blocks would we need to read from disk?



Contiguous allocation: problems


- * Let's say File C wants to be two blocks long instead of 1 block long
 - What do we do?

Disk:	Bit- map	Root Dir	File D	free	File B	Also File B		File A	free	free	File C	File E
	BO	B1	B2	B3	B4	B5	B6	B7	B8	B9	B10	B11

- What if instead File D wants to be 5 blocks long?
- If we wanted to extend the file but the next block is taken, we either give up or have to rearrange other files in the file system.
- Analysis: this doesn't work very well for files that may grow over time. There is fragmentation that can't be used unless we move files around, which takes a lot of time :/

Do blocks need to be contiguous?

- Logically (from the user view) a file is contiguous.
- The user never directly interfaces with disk, the operating system just has to provide the data in the blocks in order



- The operating system is maintaining the abstraction for the user. The user asks for the 3rd block of a file, and the operating system will figure out which physical block it is.
- Sort of similar to virtual vs physical address translation (haha more on that later)

Implicit Linked List Allocation


- We can have each block reserve some bits at the end that are pointers to the next block in the file,
 - or a special value to mark that there is no "next block"
- NOTE: when we say "pointer" here, it is not the same as a memory pointer. This is a "disk pointer", meaning it refers to a place in disk and NOT a place in memory Disk:

Bit- map	Root Dir	File D	free		Also File B			File C Blk 2	free	File C	File E
BO	B1	B2	B3	B4	в5	B6	B7	B8	B 9	B10	B11

Root directory still holds the first block number for a file in that file's file entry.

Implicit Linked List Allocation

What if I want to grow File D by 2 blocks?



- Scan the bitmap to find which blocks are free
- Allocate the blocks and set up pointers to them

Disk:


Bit- map	Root Dir	File D	File D Blk 3	File B	Also File B		File A	File C Blk 2		File C	File E
B0	B1	B2	В3	B4	V _{B5}	№ 6	B7	B8	B 9	B10	B11
										\bigcirc	



pollev.com/cis5480

- Let's say I wanted to read the 4th block of file D.
 How many block reads would be needed? Why?
 - You can assume we already know where the file begins (we have already read the directory entry for the file)

Disk:




Poll Everywhere

pollev.com/cis5480

- Let's say I wanted to read the 4th block of file D.
 How many block reads would be needed? Why?
 - You can assume we already know where the file begins (we have already read the directory entry for the file)

Disk:



- ✤ 4 block reads ⊗
- $\, \ast \,$ We need to read each block to find where the next block is located. $\, \ensuremath{\mathfrak{S}}$

Seek Time

- To seek in a file is to move to a different position in the file. If we want to move from one place on the hardware to another, that takes a VERY long time (relatively)
- HDD (Hard Disk Drives) consist of a spinning disk and an arm that hovers over the disk to read data
- Video: <u>https://yewtu.be/watch?v=p-JJp-oLx58</u>
 - Start at 6:48 ish
- Since this is a physical operation, much slower (relatively) than electronic operations



Linked Allocation Analysis

- Linked List Pros:
 - Growing a file is more feasible
 - Fragmentation issues are less present

- Linked List Cons:
 - Reading can take a lots of seeks to different parts of disk.
 Seeks take up time ^(B)
 - This con is big enough to warrant a different allocation scheme.
 Computer science typically cares A LOT about how quick something is

Linked List via FAT

We can still have a linked-list "style" approach, we just need a way to make looking up the blocks of a file quicker. We don't want to access disk so many times if we can help it. O(N) look up to traverse all blocks in the file...

- What can we do instead of accessing disk?
 - What if we could access memory instead?




Files systems are really **Memory Hierarchy** really really slow compared to accessing memory L0: Regs **CPU registers hold words retrieved** Smaller. from the L1 cache. L1 cache L1: faster, I'll talk about (SRAM) L1 cache holds cache lines retrieved and caches later from the L2 cache. costlier L2 cache L2: (per byte) (SRAM) storage L2 cache holds cache lines devices retrieved from L3 cache. L3 cache L3: (SRAM) L3 cache holds cache lines retrieved from main memory. Larger, L4: Main memory slower, (DRAM) and Main memory holds disk blocks cheaper retrieved from local disks. (per byte) storage Local secondary storage 15: devices (local disks) Local disks hold files retrieved from disks on remote servers. Remote secondary storage L6: (e.g., Web servers) Bryant and O'Hallaron, Computer Systems: A Programmer's Perspective, Third Edition

41

FAT (File Allocation Table)

Instead of this:

Disk:



✤ We can instead store the pointers or "links" in a table in memory to get...

FAT (File Allocation Table)

- This table is called the
 File Allocation Table (FAT)
- This table is in memory when it is running
- Table stored in disk initially, loaded into memory when computer is booted.
- Replaces the bitmap
 - Why can it do that?

pollev.com/cis5480

Block #	Next
0	BITMAP/SPECIAL
1	END
2	6
3	9
4	END
5	EMPTY / UNUSED
6	3
7	END
8	END
9	END
10	8
11	END

Disk:

FAT		File D									
BO	B1	B2	B3	B4	B5	B6	B7	B8	B9	B10	B11

- Poll Everywhere
- Let's say I wanted to read the 4th block of file D.

How many block reads would be needed? Why?

 You can assume we already know where the file begins (we have already read the directory entry for the file)

Block #	Next
0	BITMAP/SPECIAL
1	END
2	6
3	9
4	END
5	EMPTY / UNUSED
6	3
7	END
8	END
9	END
10	8
11	END

FAT		File D	File D Blk 3	File B	Empt y	File D Blk 2	File A	File C Blk 2	File D Blk 4	File C	File E
BC	B1	B2	B3	B4	B5	B6	Β7	B8	B9	B10	B11

Poll Everywhere

 Let's say I wanted to read the 4th block of file D.

How many block reads would be needed? Why?

 You can assume we already know where the file begins (we have already read the directory entry for the file)

¹ block	Block #	Next	
DIOCK	0	BITMAP/SPECIAL	
	1	END	We co
	2	6	trave
	3	9	softw
here	4	END	no ne
	5	EMPTY / UNUSED	these every
here d the	6	3	,
	7	END	
	8	END	
	9	END	
	10	8	
	11	END	

We can do this traversal in software land, no need to read these blocks everv time.

Just one block!!!

FAT	Root Dir	File D	File D Blk 3	File B	Empt y	File D Blk 2	File A	File C Blk 2	File D Blk 4	File C	File E
 BO	B1	B2	B3	B4	B5	B6	B7	B8	B9	B10	B11

- The FAT is the reason why the operating system knows which block is used for which purpose
- If we wanted to read the 4th block from file D:

Block #	Next
0	BITMAP/SPECIAL
1	END
2	6
3	9
4	END
5	EMPTY / UNUSED
6	3
7	END
8	END
9	END
10	8
11	END

FAT	Root Dir	???	???	???	???	???	???	???	???	???	???
BO	B1	B2	B3	B4	B5	B6	B7	B8	B9	B10	B11

- The FAT is the reason why the operating system knows which block is used for which purpose
- If we wanted to read the 4th block from file D:
 - Read the directory entry for File D to see that it starts at block 2

Block #	Next
0	BITMAP/SPECIAL
1	END
2	6
3	9
4	END
5	EMPTY / UNUSED
6	3
7	END
8	END
9	END
10	8
11	END


FAT		File D Blk 0		???	???	???	???	???	???	???	???
BO	B1	B2	B3	B4	B5	B6	Β7	B8	B9	B10	B11

- The FAT is the reason why the operating system knows which block is used for which purpose
- If we wanted to read the 4th block from file D:
 - Lookup next block in the FAT. We go to FAT entry #2 and the "next" says where the next block is (physical block 6)

	Block #	Next					
	0	BITMAP/SPECIAL					
	1	END					
	2	6					
	3	9					
า	4	END					
	5	EMPTY / UNUSED					
	6	3					
κt	7	END					
	8	END					
	9	END					
	10	8					
	11	END					


FAT		File D Blk 0	???	???	???	File D Blk 1	???	???	???	???	???
BO	B1	B2	B3	B4	B5	B6	Β7	B8	B9	B10	B11

- The FAT is the reason why the operating system knows which block is used for which purpose
- If we wanted to read the 4th block from file D:
 - Lookup next block in the FAT. We go to FAT entry #6 and the "next" says where the next block is (physical block 3)




FAT	Root Dir	File D Blk 0				File D Blk 1	???	???	???	???	???
BO	B1	B2	B3	B4	B5	B6	Β7	B8	B9	B10	B11

- The FAT is the reason why the operating system knows which block is used for which purpose
- If we wanted to read the 4th block from file D:
 - Lookup next block in the FAT. We go to FAT entry #3 and the "next" says where the next block is (physical block 9)



FAT	Root Dir	File D Blk 0				File D Blk 1		???	File D Blk 3		???
BO	B1	B2	B3	B4	B5	B6	B7	B8	B9	B10	B11

- The FAT is the reason why the operating system knows which block is used for which purpose
- If we wanted to read the 4th block from file D:
 - The FAT entry for block 9 has a special value for "next" to indicate it is the last block in the file



FAT		File D Blk 0			???	File D Blk 1			File D Blk 3	???	???
BO	B1	B2	B3	B4	B5	B6	B7	B8	B9	B10	B11

Linked List <u>via</u> FAT

- FAT is logically very similar as a linked list, we just store the links somewhere else that can be conveniently stored in memory
- Since the links are in memory, we can find the Nth block of a file with much fewer disk accesses
- ✤ Disk accesses take a long time, so this is good ☺



- What if we want to extend a file in FAT?
- What steps do we need to take?

Hint: FAT is in memory, what are the big differences between Disk and Memory?



- What if we want to extend a file in FAT?
- What steps do we need to take?
 - Lookup a free block in the FAT, mark it as a last block
 - Lookup the last block in the file, change its FAT entry to think the newly allocated block is the new "last"
 - •••
 - Write the FAT table to disk, memory is volatile storage
- Hint: FAT is in memory, what are the big differences between Disk and Memory?

FAT is great ©*

- ✤ FAT has allowed us to have non-contiguous blocks for a file.
- * At the same time, we only need one disk read to access the Nth block of a file


- What could go wrong with this?
 - FAT is really big and is in memory, so memory consumption goes up ${\mathscr B}$

FAT (The Table) size

- ✤ A FAT is similar to a bitmap
 - A bitmap needs 1 bit per block
 - A FAT needs ~16-bits per block 😕
- At least we don't need bitmap anymore!
- Grows a lot as the size of disk grows
 - As the disk grows, there are more blocks in the disk. We need more FAT entries, and each entry needs more bits. (To hold the block number. # of bits for block # grows to support more blocks)
 - The File Allocation Table may be bigger than one block
 - we need to keep the FAT in memory to keep accesses fast, memory consumption goes up!
 - FAT got fazed out for I-nodes (next lecture) because of this (thank god I hate FAT)



- When you create a file system with PennFAT, you specify the number of blocks the File Allocation Table takes up and the size of a block.
- Let's say I want to create a FAT that spans 4 blocks, a block is 4096 (2¹²) bytes, and an entry in the table is 2 bytes.
 - How many entries do I have?





- When you create a file system with PennFAT, you specify the number of blocks the File Allocation Table takes up and the size of a block.
- Let's say I want to create a FAT that spans 4 blocks, a block is 4096 (2¹²) bytes, and an entry in the table is 2 bytes.
 - How many entries do I have? 4 * 2¹² / 2 = [2¹³]



PennOS FAT Details

- ✤ If we have N entries in the File Allocation Table, we only have N 1 references to data blocks in the FAT
- The first File Allocation Table entry FAT [0] holds meta data about the FAT, so it doesn't refer/point to a "real" block
- An entry is 16-bits, which is 2 bytes.
- Consider the example 2-byte value: 0x2004
 - We can split this into two bytes for FAT [0]
 - The MSB (Most Significant Byte) 0x20 -> 32 in decimal
 - The LSB (Least Significant Byte) 0x04 -> 4 in decimal

PennOS FAT[0] MSB

- The first FAT entry FAT [0] holds meta data about the FAT, so it doesn't correspond to a "real" block
- Consider the example 2-byte value: 0x2004
 - We can split this into two bytes
 - The MSB (Most Significant Byte) 0x20 -> 32 in decimal
 - The LSB (Least Significant Byte) 0x04 -> 4 in decimal
- The MSB is size of the File Allocation Table in units of blocks
 - In this example, the FAT is 32 blocks

PennOS FAT[0] LSB

- The first FAT entry FAT [0] holds meta data about the FAT, so it doesn't correspond to a "real" block
- Consider the example 2-byte value: 0x2004
 - We can split this into two bytes
 - The MSB (Most Significant Byte) 0x20 -> 32 in decimal
 - The LSB (Least Significant Byte) 0x04 -> 4 in decimal
- The LSB is between 0 and 4, and specifies the size of the blocks for the file system


LSB	Block Size
0	256
1	512
2	1,024
3	2,048
4	4,096

PennOS FAT Entry Special Values

- A PennFAT entry is 16-bits and only contains the block number of the next block in the file.
- There are two special values a PennFAT entry can hold
- 0x0000 (0 in decimal)
 - Indicate the block is free.
 - We start indexing into our blocks in the data region starting with index 1 (9) (9) (2) (2) (2)
- OxFFFF (65535 as unsigned, -1 as signed)
 - Indicates that there is no block after this logically in the file
 - That this is the last block in the file

PennOS root Directory

- PennFAT has a special value for **FAT**[1] as well.
- It still corresponds to a data block, but that data block is the first block of the root directory
- This means we always know where the root directory starts. (at index 1 into the data region), and from there we can find all other files
 - ...pathname resolution soon...



Think About How You'd like to Design your Penn-FAT 😳