

C I T




5 9 4 0

DESIGN PATTERNS

VOLUME 2






Composite Pattern

Structural pattern

Problem: we have a collection of objects in which an object can be composed of other objects

Goal: We want to treat all objects (containers and components) uniformly / perform the same action on all the objects in the collection





Composite Pattern

Solution:

- Share behavior/activity across all objects (using an interface)
- Each subclass implements the activity
- Call the activity on the first object in the collection

Sound familiar?





Composite Pattern: Example

Expression Tree

- Collection of Nodes: internal and leaf nodes.
 - Internal nodes composed of (two) internal and/or leaf nodes
- We want to evaluate the expression tree
 - Call `evaluate` on the root of the tree
 - Each internal node invokes `evaluate` of its subtrees with the appropriate operator
 - Leaf node return its value when performing `evaluate`





Composite Pattern: Example


Class	Purpose
<code>VarBinNode</code>	Interface for a binary node
<code>VarIntlNode</code>	Class for an internal node, implements <code>VarBinNode</code>
<code>VarLeafNode</code>	Class for a leaf node, implements <code>VarBinNode</code>







Composite Pattern: Example

Class diagram





2



Composite Pattern: SVG `g` Element

```
<svg viewBox="0 0 100 100" xmlns="http://www.w3.org/2000/svg">
  <!-- Using g to inherit presentation attributes -->
  <g fill="white" stroke="green" stroke-width="5">
    <circle cx="40" cy="40" r="25" />
    <circle cx="60" cy="60" r="25" />
  </g>
  <circle fill="blue" stroke="red" cx="0" cy="50" r="15" />
</svg>
```






How to Draw an SVG?

- For each element in the SVG, we can call the `draw` method using:
 - its style properties
 - any style properties of its ancestors
- If the element is a single object, it will draw itself
- If the element is a group (a `g`), it will recursively draw each of its children






Strategy Pattern

Behavioral pattern

Problem: We want to use a general algorithm; some part of it may vary depending on the context. We want to avoid multiple slightly different version of the same algorithm


Goal: Improved reusability of the code





Strategy Pattern

Solution: Use a class that represents the strategy and pass an instance to a single method that implement the rest of the algorithm.







Strategy Pattern: An Example

We want to search for an element (target) in a collection of objects (dogs) based on different criteria: by name, or by id

We want to have one implementation of the search algorithm, and specify the strategy to use every time we are calling the algorithm

- The "strategy" here is just the use of one **Comparator** over another!








Functional Interfaces

`Comparator` is an example of a **functional interface**

- An interface that has only one unimplemented method
- An implementing class for a functional interface can consist of one function
- An **anonymous class** implementing a functional interface is basically a single function definition!

```
TreeSet<Treasure> ts = new TreeSet(new Comparator() {  
    public int compare(Treasure t1, Treasure t2) {  
        return t1.getValue() - t2.getValue();  
    }  
});
```





Anonymous Functions (Lambdas)


Java 8 introduced **lambdas** to simplify the syntax for implementing functional interfaces

```
TreeSet<Treasure> ts = new TreeSet((t1, t2) -> t1.getValue() - t2.getValue());
```

Here, `(t1, t2) -> t1.getValue() - t2.getValue()` represents a concise implementation of the `compare` method, which itself is a concise expression of an entire new `Comparator` class!

```
(inputOne, inputTwo, ...) -> oneLineExpressionGivingValueToReturn;
```





Passing "Functions"

You can also "pass functions" (not really, but close enough) like so:

```
TreeSet<Treasure> ts = new TreeSet(Comparator.comparing(Treasure::getValue));
```

`Comparator.comparing()` is a method that takes in **another method** that selects the proper value from the objects by which to compare them. It returns a `Comparator` that uses that method to compare the objects.

